



JX007V 0.8A Sensitive SCR

RevA.1.1

DESCRIPTION:

JX007V SCR is a sensitive V/th  
type  
a Its  $I_{ts}$

Page



FIG.1:  $M_{T(RMS)}$

$P(W)$





FIG.2:  $RMS$

$\eta$











DELIVERY MODE 08

Ré	Dim					
	Min			Max		
	Mn	$\bar{P}$	Ma	Mn	$\bar{P}$	Ma
W	-		12.30	-		0.42
E	1.65	1.75	1.5	0.065	0.069	0.073
F	5.45	5.50	5.55	0.215	0.217	0.219
D0		1.55	1.60		0.061	0.063
D1		-	-			
P0	3.0	4.00	4.10	0.154	0.157	0.161
P1	7.0	.00	.10	0.311	0.315	0.319
P2	1.5	2.00	2.05	0.077	0.079	0.081
10P0	30	40.00	40.20	1.567	1.575	1.583
A0	6.5	6.5	7.05	0.269	0.273	0.276
B0	7.15	7.25	7.35	0.20	0.24	0.2
K0	1.5	2.05	2.15	0.076	0.00	0.04
T	0.20	0.25	0.30	0.00	0.010	0.012

www.jiejie.com

JieJie Microelectronics Co., Ltd

Ltd. 杰杰微电子

www.jiejie.com

JieJie Microelectronics Co., Ltd

JieJie Microelectronics Co., Ltd

JieJie Microelectronics Co., Ltd

JieJie Microelectronics Co., Ltd

杰杰微电子股份有限公司 杰杰微电子股份有限公司

杰杰微电子

 杰杰微电子

Co., Ltd

Copyright © 2025 JieJie Microelectronics Co., Ltd

All Rights Reserved